

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for TA809917

## Semaphorin 3D (SEMA3D) Mouse Monoclonal Antibody [Clone ID: OTI2H4]

## **Product data:**


Product Type:	Primary Antibodies
Clone Name:	OTI2H4
Applications:	IHC, WB
<b>Recommend Dilution:</b>	WB 1:500, IHC 1:500
Reactivity:	Human
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 200-291 of human SEMA3D(NP_689967) produced in E.coli.
Formulation:	PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Predicted Protein Size:	89.5 kDa
Gene Name:	semaphorin 3D
Database Link:	<u>NP_689967 Entrez Gene 223117 Human</u>
Background:	Induces the collapse and paralysis of neuronal growth cones. Could potentially act as repulsive cues toward specific neuronal populations. Binds to neuropilin. [UniProtKB/Swiss-Prot Function]
Synonyms:	coll-2; Sema-Z2
Protein Families:	Transmembrane
Protein Pathways:	Axon guidance




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2020 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US




## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SEMA3D ([RC216032], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SEMA3D (1:500). Positive lysates [LY407304] (100ug) and [LC407304] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human embryonic brain cortex tissue within the normal limits using anti-SEMA3D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809917) (1:500)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2020 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemical staining of paraffinembedded Human placenta tissue within the normal limits using anti-SEMA3D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, TA809917) (1:500)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2020 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US